# Factory Provided Hydraulic Cylinder for Steel Mill Factory

MACRODYNE

FLUTEC HYDRAULICS (CHANGZHOU) CO., LTD.

# **Basic Information**

macrodynecylinder.com

MACRODYNE®

for more products please visit us on macrodynecylinder.com



### **Product Specification**

- Structure:
- Material:
- Transport Package:
- Trademark:
- Origin:
- HS Code:
- Supply Ability:
- Certification:
- Pressure:
- Work Temperature:
- Acting Way:
- Working Method:
- Adjusted Form:
- Customization:
- Highlight:

- Carbon Steel Standard Seaworthy Wooden Case FLUTEC Jiangsu, China 8412210090 1000
- ISO9001, Dnv, SGS, BV, ABS, GI Medium Pressure
- Normal Temperature

Piston Type

- Double Acting
- Straight Trip
- Regulated Type
- Available | Customized Request
  - Factory Provided Hydraulic Cylinder,



# More Images







# **Product Description**

# Welcome To FLUTEC HYDRAULICS!

#### Product Description



**Product Parameters** 

Technical DataCylinder TypeMill type, Head Bolted, Base WeldedBore DiameterUp to 2500mmRod DiameterUp to 2000mmStroke LengthUp to 20,000mmPiston Rod MaterialAISI 1045, AISI 4140, AISI 4340, 20MnV6, Stainless steel 2Cr13 or 1Cr17Ni2Rod Surface TreatmentHard chrome plated, Chrome/Nickel plated, Ceramic coatedTube MaterialCarbon steel AISI1045 or ST52.3, Alloy steel AISI4140 or 27SiMnTube Surface PaintingColors according to RAL and thickness according to customer needsMounting TypeClevis, Cross tube, Flange, Trunnion, Tang, ThreadDesign PressureUp to 40Mpa
Bore DiameterUp to 2500mmRod DiameterUp to 2000mmStroke LengthUp to 20,000mmPiston Rod MaterialAISI 1045, AISI 4140, AISI 4340, 20MnV6, Stainless steel 2Cr13 or 1Cr17Ni2Rod Surface TreatmentHard chrome plated, Chrome/Nickel plated, Ceramic coatedTube MaterialCarbon steel AISI1045 or ST52.3, Alloy steel AISI4140 or 27SiMnTube Surface PaintingColors according to RAL and thickness according to customer needsMounting TypeClevis, Cross tube, Flange, Trunnion, Tang, ThreadDesign PressureUp to 40Mpa
Rod DiameterUp to 2000mmStroke LengthUp to 20,000mmPiston Rod MaterialAISI 1045, AISI 4140, AISI 4340, 20MnV6, Stainless steel 2Cr13 or 1Cr17Ni2Rod Surface TreatmentHard chrome plated, Chrome/Nickel plated, Ceramic coatedTube MaterialCarbon steel AISI1045 or ST52.3, Alloy steel AISI4140 or 27SiMnTube Surface PaintingColors according to RAL and thickness according to customer needsMounting TypeClevis, Cross tube, Flange, Trunnion, Tang, ThreadDesign PressureUp to 40Mpa
Stroke LengthUp to 20,000mmPiston Rod MaterialAlSI 1045, AlSI 4140, AlSI 4340, 20MnV6, Stainless steel 2Cr13 or 1Cr17Ni2Rod Surface TreatmentHard chrome plated, Chrome/Nickel plated, Ceramic coatedTube MaterialCarbon steel AlSI1045 or ST52.3, Alloy steel AlSI4140 or 27SiMnTube Surface PaintingColors according to RAL and thickness according to customer needsMounting TypeClevis, Cross tube, Flange, Trunnion, Tang, ThreadDesign PressureUp to 40Mpa
Piston Rod MaterialAISI 1045, AISI 4140, AISI 4340, 20MnV6, Stainless steel 2Cr13 or 1Cr17Ni2Rod Surface TreatmentHard chrome plated, Chrome/Nickel plated, Ceramic coatedTube MaterialCarbon steel AISI1045 or ST52.3, Alloy steel AISI4140 or 27SiMnTube Surface PaintingColors according to RAL and thickness according to customer needsMounting TypeClevis, Cross tube, Flange, Trunnion, Tang, ThreadDesign PressureUp to 40Mpa
Piston Rod Material1Cr17Ni2Rod Surface TreatmentHard chrome plated, Chrome/Nickel plated, Ceramic coatedTube MaterialCarbon steel AISI1045 or ST52.3, Alloy steel AISI4140 or 27SiMnTube Surface PaintingColors according to RAL and thickness according to customer needsMounting TypeClevis, Cross tube, Flange, Trunnion, Tang, ThreadDesign PressureUp to 40Mpa
TreatmentHard chrome plated, Chrome/Nickel plated, Ceramic coatedTube MaterialCarbon steel AISI1045 or ST52.3, Alloy steel AISI4140 or 27SiMnTube Surface PaintingColors according to RAL and thickness according to customer needsMounting TypeClevis, Cross tube, Flange, Trunnion, Tang, ThreadDesign PressureUp to 40Mpa
Tube Surface Painting   Colors according to RAL and thickness according to customer needs     Mounting Type   Clevis, Cross tube, Flange, Trunnion, Tang, Thread     Design Pressure   Up to 40Mpa
Mounting Type Clevis, Cross tube, Flange, Trunnion, Tang, Thread   Design Pressure Up to 40Mpa
Design Pressure Up to 40Mpa
Seal Kits Type PARKER, MERKEL, HALLITE, , TRELLEBORG
Quality Assurance 1 year
Certificate SGS, BV, ABS ,GL, DNV etc.
ApplicationMobile Equipment,Cement Mill, steel mill, Hydraulic press, etc.
Quality Assurance
Our quality management system is certified to ISO 9001
Quality control standards include material records, process control plans,

#### **Quality Process**

Manufacturing approvals and inspection data

All products undergo 100% pressure testing 1.5 times the maximum allowable working pressure or to customer specifications

Static and dynamic pressure testing.

Ultraviolet leak detection technology.

Testing Standards Non-destructive testing.

Real-time monitoring and test phase documentation

Fluid Cleanliness

Independent sampling and oil diagnostic control

#### **Detailed Photos**





Finished Product

Display

# FINISHED PROJECT LIST

FLUTEC HYDRAULICS (CHANGZHOU) CO., LTD.

////



LUFFING CYLINDER FOR PILING BARGE



CEMENT CRUSHER CYLINDER



SPLIT HOPPER CYLINDER





STANDARD SERIES CYLINDERS



HYDRAULIC PRESS CYLINDER



SHIP CRANE CYLINDER



PLATE FLATTING MACHINE



ALUMINIUM CASTING CYLINDER

Application Area

# APPLICATION INDUSTRIES





SHIP-CRANE



NEW-ENERGY-EQUIPMENT



**RIG-PLATFORM** 



REACH-RECLAIMER



INSTALLATION-PLATFORM



PORT-EQUIPMENT



ARMY FACILITY



SPLIT-HOPPER-BARGE



MINING-INDUSTRY



INDUSTRIAL-FURNACE



HEAVY-MACHINE

### Company

#### Profile

FLUTEC HYDRAULICS is an expert at designing and manufacturing a broad range of custom engineered hydraulic cylinders and cylinder systems as well as custom engineered press bolster plates. We are proud to offer superior quality products and services for various applications including industrial, construction, mobile, agricultural, mining, steel mill, hydraulic press, etc. Our highly skilled team and modern technical facilities allow us to manufacture large bore hydraulic cylinders and long stroke hydraulic cylinders with 100% confidence and assurance.

We understand our customers need dependable quality and excellent services with affordable cost to stay ahead in today's highly competitive market. FLUTEC HYDRAULICS can meet those requirements with our robust, efficient and long life products together with prompt services.

To be mentioned, our sales team is strictly trained both in technology and language. They are full of experiences in fluid power and machinery. We are glad to personally visit our customers to work better.



# **PRODUCTION FACILITIES**





6 HEAVY VERTICAL LATHE

10. HEAT TREATMENT AFTER WELDING



7. HEAVY DRILLING

11. LARGE LATHE





4.FLOOR DRILLI

8 LARGE DEEP HOLE BO

12 LARGE LATHE



5.FLOOR B



9. SURBMERGED ARC WELDING



13. LARGE GRINDING

17. HEAVY LATHE

14.DEEP HOLE HONING

19.INSPECTION ONSITE



21.PRESSURE TEST BENCH

22. PAINTING BOOTH

18.100TON BRIDGE CRANE

23. SEAWORTHY PACKING

24. DELIVERY

### FAQ

#### Q1: What does your company do?

A: we are a supplier of high-quality hydraulic products including Hydraulic Cylinder, Honed Tube, Chromed Rod, Machined Platen, Cylinder Parts, and other components.

#### Q2: Are you a manufacturer or trading company?

A: We are a manufacturer.

#### Q3: Are you able to make Non-standard or customized products?

A: Yes, we can. Custom-made Hydraulic Cylinder is our key business.

#### Q4: How long is your delivery time?

A: The delivery time for customized products is 30 working days.But it also depends on the product requirements and quantity.





20. ASSEMBLY BENCH

### Q5: Do you provide samples?

A: No, we don't provide samples.

### Q6: What are your payment terms?

A: T/T/ or L/C or D/P. If you have any questions, please feel free to contact us.

#### Q7: What are your After-sales services?

A: Before shipment, Each individual product will be strictly inspected on our factory QC Process System. In addition, We have a Customer Service team to respond to customers' questions within 12 hours. Being helpful in solving customers' problems is always our goal.

## MACRODYNE<sup>®</sup> FLUTEC HYDRAULICS (CHANGZHOU) CO., LTD.

C +8613328169686 C rex.tang@flutechydraulics.com C macrodynecylinder.com

No. 4-2717, Powerlong Plaza, Zhonglou District, Changzhou, Jiangsu, China