## **Customised Regulated Type Piston** Accumulator

## **Basic Information**

- Place of Origin:
- Jiangsu, China Flutec
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:
- ISO9001, Dnv, SGS, BV, ABS, GI 250\*180\*80 1 Piece \$ 100- \$ 100000 Standard Seaworthy Wooden Case 30Days
- L/C T/T D/P



## **Product Specification**

- Name:
- Model NO.:
- Structure:
- Material:
- Bore Diameter:
- Rod Diameter:
- Stroke Length:
- Design Pressure:
- HS Code:
- Certification:
- Pressure:
- Work Temperature:
- Acting Way:
- Working Method:

Large Bore Hydraulic Cylinder 800x2105 Piston Type Alloy Steel Up To 2500mm Up To 2000mm Up To 20,000mm Up To 40MPa 8412210090 GS, RoHS, ISO9001, Dnv, SGS, BV, ABS, Gl **High Pressure** Normal Temperature **Double Acting** Straight Trip



### More Images





**Product Description** 

## **Piston Accumulator**

# Welcome To FLUTEC HYDRAULICS!

Product Description





Product Parameters

| Technical DataCylinder TypeMill type, Head Bolted, Base WeldedBore DiameterUp to 2500mmRod DiameterUp to 2000mmStroke LengthUp to 20,000mmPiston Rod MaterialAlSI 1045, AISI 4140, AISI 4340, 20MnV6, Stainless steel 2Cr13 or<br>1Cr17Ni2Rod Surface<br>TreatmentHard chrome plated, Chrome/Nickel plated, Ceramic coatedTube MaterialColors according to RAL and thickness according to customer needsMounting TypeClevis, Cross tube, Flange, Trunnion, Tang, ThreadDesign PressureUp to 40MpaGuality Assurance1 yearCertificateSGS, BV, ABS ,GL, DNV etc.ApplicationMobile Equipment,Cement Mill, steel mill, Hydraulic press, etc.  |                       |   |
|--|-----------------------|---|
| For the second | Technical Data        |   |
| Rod DiameterUp to 2000mmStroke LengthUp to 20,000mmPiston Rod MaterialAISI 1045, AISI 4140, AISI 4340, 20MnV6, Stainless steel 2Cr13 or<br>1Cr17Ni2Rod Surface<br>TreatmentHard chrome plated, Chrome/Nickel plated, Ceramic coatedTube MaterialCarbon steel AISI1045 or ST52.3, Alloy steel AISI4140 or 27SiMnTube Surface PaintingColors according to RAL and thickness according to customer needsMounting TypeClevis, Cross tube, Flange, Trunnion, Tang, ThreadDesign PressureUp to 40MpaSeal Kits TypePARKER, MERKEL, HALLITE, , TRELLEBORGGuality Assurance1 yearCertificateSGS, BV, ABS ,GL, DNV etc.  | Cylinder Type         | Mill type, Head Bolted, Base Welded                               |
| Stroke LengthUp to 20,000mmPiston Rod MaterialAISI 1045, AISI 4140, AISI 4340, 20MnV6, Stainless steel 2Cr13 or<br>1Cr17Ni2Rod Surface<br>TreatmentHard chrome plated, Chrome/Nickel plated, Ceramic coatedTube MaterialCarbon steel AISI1045 or ST52.3, Alloy steel AISI4140 or 27SiMnTube Surface PaintingColors according to RAL and thickness according to customer needsMounting TypeClevis, Cross tube, Flange, Trunnion, Tang, ThreadDesign PressureUp to 40MpaSeal Kits TypePARKER, MERKEL, HALLITE, , TRELLEBORGQuality Assurance1 yearCertificateSGS, BV, ABS ,GL, DNV etc.  | Bore Diameter         | Up to 2500mm  |
| Piston Rod MaterialAISI 1045, AISI 4140, AISI 4340, 20MnV6, Stainless steel 2Cr13 or<br>1Cr17Ni2Rod Surface<br>TreatmentHard chrome plated, Chrome/Nickel plated, Ceramic coatedTube MaterialCarbon steel AISI1045 or ST52.3, Alloy steel AISI4140 or 27SiMnTube Surface PaintingColors according to RAL and thickness according to customer needsMounting TypeClevis, Cross tube, Flange, Trunnion, Tang, ThreadDesign PressureUp to 40MpaSeal Kits TypePARKER, MERKEL, HALLITE, , TRELLEBORGQuality Assurance1 yearCertificateSGS, BV, ABS ,GL, DNV etc.   | Rod Diameter          | Up to 2000mm  |
| Piston Rod Material1Cr17Ni2Rod Surface<br>TreatmentHard chrome plated, Chrome/Nickel plated, Ceramic coatedTube MaterialCarbon steel AISI1045 or ST52.3, Alloy steel AISI4140 or 27SiMnTube Surface PaintingColors according to RAL and thickness according to customer needsMounting TypeClevis, Cross tube, Flange, Trunnion, Tang, ThreadDesign PressureUp to 40MpaSeal Kits TypePARKER, MERKEL, HALLITE, , TRELLEBORGQuality Assurance1 yearCertificateSGS, BV, ABS ,GL, DNV etc.  | Stroke Length         | Up to 20,000mm  |
| TreatmentHard chrome plated, Chrome/Nickel plated, Ceramic coatedTube MaterialCarbon steel AISI1045 or ST52.3, Alloy steel AISI4140 or 27SiMnTube Surface PaintingColors according to RAL and thickness according to customer needsMounting TypeClevis, Cross tube, Flange, Trunnion, Tang, ThreadDesign PressureUp to 40MpaSeal Kits TypePARKER, MERKEL, HALLITE, , TRELLEBORGQuality Assurance1 yearCertificateSGS, BV, ABS ,GL, DNV etc.  | Piston Rod Material   |   |
| Tube Surface PaintingColors according to RAL and thickness according to customer needsMounting TypeClevis, Cross tube, Flange, Trunnion, Tang, ThreadDesign PressureUp to 40MpaSeal Kits TypePARKER, MERKEL, HALLITE, , TRELLEBORGQuality Assurance1 yearCertificateSGS, BV, ABS ,GL, DNV etc.   |                       | Hard chrome plated, Chrome/Nickel plated, Ceramic coated          |
| Mounting TypeClevis, Cross tube, Flange, Trunnion, Tang, ThreadDesign PressureUp to 40MpaSeal Kits TypePARKER, MERKEL, HALLITE, , TRELLEBORGQuality Assurance1 yearCertificateSGS, BV, ABS ,GL, DNV etc.   | Tube Material         | Carbon steel AISI1045 or ST52.3, Alloy steel AISI4140 or 27SiMn   |
| Design Pressure Up to 40Mpa   Seal Kits Type PARKER, MERKEL, HALLITE, , TRELLEBORG   Quality Assurance 1 year   Certificate SGS, BV, ABS ,GL, DNV etc.   | Tube Surface Painting | Colors according to RAL and thickness according to customer needs |
| Seal Kits Type PARKER, MERKEL, HALLITE, , TRELLEBORG   Quality Assurance 1 year   Certificate SGS, BV, ABS ,GL, DNV etc.   | Mounting Type         | Clevis, Cross tube, Flange, Trunnion, Tang, Thread                |
| Quality Assurance 1 year   Certificate SGS, BV, ABS ,GL, DNV etc.  | Design Pressure       | Up to 40Mpa   |
| Certificate SGS, BV, ABS ,GL, DNV etc.   | Seal Kits Type        | PARKER, MERKEL, HALLITE, , TRELLEBORG                             |
|  | Quality Assurance     | 1 year  |
| Application Mobile Equipment,Cement Mill, steel mill, Hydraulic press, etc.  | Certificate           | SGS, BV, ABS ,GL, DNV etc.  |
|  | Application           | Mobile Equipment, Cement Mill, steel mill, Hydraulic press, etc.  |

#### **Quality Assurance**

Our quality management system is certified to ISO 9001 Quality control standards include material records, process control plans,

Quality Process Manufacturing approvals and inspection data

| Testing<br>Standards | All products undergo 100% pressure testing 1.5 times the maximum allowable working pressure or to<br>customer specifications |  |  |
|----------------------|--|--|--|
|                      | Static and dynamic pressure testing.   |  |  |
|                      | Ultraviolet leak detection technology.   |  |  |
|                      | Non-destructive testing.   |  |  |
| Fluid<br>Cleanliness | Real-time monitoring and test phase documentation  |  |  |
|                      | Independent sampling and oil diagnostic control  |  |  |
| Finished Produ       |  |  |  |
| Thistoct Foddot      |  |  |  |

Display

# FINISHED PROJECT LIST

FLUTEC HYDRAULICS (CHANGZHOU) CO., LTD.

////



LUFFING CYLINDER FOR PILING BARGE



CEMENT CRUSHER CYLINDER



SPLIT HOPPER CYLINDER



DAM GATE CYLINDER



STANDARD SERIES CYLINDERS



HYDRAULIC PRESS CYLINDER



SHIP CRANE CYLINDER



PLATE FLATTING MACHINE



ALUMINIUM CASTING CYLINDER

Application Area

# APPLICATION INDUSTRIES





SHIP-CRANE



NEW-ENERGY-EQUIPMENT



**RIG-PLATFORM** 



REACH-RECLAIMER



INSTALLATION-PLATFORM



PORT-EQUIPMENT



ARMY FACILITY



SPLIT-HOPPER-BARGE



MINING-INDUSTRY



INDUSTRIAL-FURNACE



HEAVY-MACHINE

#### Company

#### Profile

FLUTEC HYDRAULICS is an expert at designing and manufacturing a broad range of custom engineered hydraulic cylinders and cylinder systems as well as custom engineered press bolster plates. We are proud to offer superior quality products and services for various applications including industrial, construction, mobile, agricultural, mining, steel mill, hydraulic press, etc. Our highly skilled team and modern technical facilities allow us to manufacture large bore hydraulic cylinders and long stroke hydraulic cylinders with 100% confidence and assurance.

We understand our customers need dependable quality and excellent services with affordable cost to stay ahead in today's highly competitive market. FLUTEC HYDRAULICS can meet those requirements with our robust, efficient and long life products together with prompt services.

To be mentioned, our sales team is strictly trained both in technology and language. They are full of experiences in fluid power and machinery. We are glad to personally visit our customers to work better.



# **PRODUCTION FACILITIES**





6 HEAVY VERTICAL LATHE

10. HEAT TREATMENT AFTER WELDING



7. HEAVY DRILLING

11. LARGE LATHE





4.FLOOR DRILLI

8 LARGE DEEP HOLE BO

12 LARGE LATHE



5.FLOOR B



9. SURBMERGED ARC WELDING



13. LARGE GRINDING

17. HEAVY LATHE

14.DEEP HOLE HONING

19.INSPECTION ONSITE



21.PRESSURE TEST BENCH

22. PAINTING BOOTH

18.100TON BRIDGE CRANE

23. SEAWORTHY PACKING

24. DELIVERY

#### FAQ

#### Q1: What does your company do?

A: we are a supplier of high-quality hydraulic products including Hydraulic Cylinder, Honed Tube, Chromed Rod, Machined Platen, Cylinder Parts, and other components.

#### Q2: Are you a manufacturer or trading company?

A: We are a manufacturer.

#### Q3: Are you able to make Non-standard or customized products?

A: Yes, we can. Custom-made Hydraulic Cylinder is our key business.

#### Q4: How long is your delivery time?

A: The delivery time for customized products is 30 working days.But it also depends on the product requirements and quantity.





20. ASSEMBLY BENCH

#### Q5: Do you provide samples?

A: No, we don't provide samples.

#### Q6: What are your payment terms?

A: T/T/ or L/C or D/P. If you have any questions, please feel free to contact us.

#### Q7: What are your After-sales services?

A: Before shipment, Each individual product will be strictly inspected on our factory QC Process System. In addition, We have a Customer Service team to respond to customers' questions within 12 hours. Being helpful in solving customers' problems is always our goal.

MACRODYNE<sup>®</sup> FLUTEC HYDRAULICS (CHANGZHOU) CO., LTD.

+8613328169686
rex.tang@flutechydraulics.com
macrodynecylinder.com
No. 4-2717, Powerlong Plaza, Zhonglou District, Changzhou, Jiangsu, China